

INDEX MAPS.

T.8N R.3W 2nd Mer.

	390		390		389		389		389		389	
392	6	402	5	401	4	414	3	415	2	413	1	388
	402		400		401		415		413		413	
392	7	400	8	400	9	414	10	414	11	408	12	388
	401		398		399		412		412		408	
391	18	398	17	398	16	411	15	412	14	408	13	388
	399		416		397		411		410		407	
391	19	396	20	397	21	404	22	410	23	407	24	387
	396		394		393=395		409		409		407	
391	30	394	29	395	28	404	27	409	26	406	25	387
	395		393		405		403		403		406	
390	31	393	32	405	33	404	34	403	35	405	36	387
	386		386		386		385		385		385	

T.9N R.3W 2nd Mer.

	422		422		421		421		421		421	
424	6	446	5	446	4	433	3	435	2	435	1	420
	445		444		444		433		434		435	
424	7	444	8	445	9	432	10	433	11	434	12	420
	445		443		442		432		431		431	
423	18	443	17	442	16	432	15	431	14	428	13	419
	442		440		439		430		430		428	
423	19	440	20	439	21	438	22	429	23	427	24	419
	440		441		438		429		426=427		426	
423	30	441	29	438	28	437	27	427	26	425	25	419
	441		437		436		429		426		424	
422	31	437	32	436	33	436	34	426	35	424	36	418
	418		418		417		417		417		417	

(F) The figures on the lines refer to the page.

417

Township N^o 9 North of Range N^o 3 Twp. 2nd Mer. (Ind^y)

Ch. Lk.

South Boundary Apr. 11 1811.

B. 145

West On the South Boundary of sec. 36. T. N^o 9. R. 3 W.
From the cor. of T^h 8 & 9. R. 2 & 3 W.
19.50 To a Brook, 50 links wide, Corner S. W.
40.00 Set a post for the cor. of 1/4 sec. from which a
Buck 13 in. diam. bears S 74 E. 44 the arch; 10
Log 16 " " " N 77 W. 43 " "
80.00 Set a post for the cor. of sec. 35 & 36. from which a
Buck 15 in. diam. bears N 76 E. 27 the arch; 10
Log 4 " " " S 70 W. 25 " "
Hilly Buck Sand.

West On the South Boundary of sec. 35 T. N^o 9. R. 3 W.
40.00 Set a post for the cor. of 1/4 sec. from which a
Oak 16 in. diam. bears N 10 W. 2 the arch; 10
Log 5 " " " S 36 W. 37 " "
80.00 Set a post for the cor. of sec. 34 & 35 from which a
Buck 13 in. diam. bears N 70 W. 28 the arch; 10
Log 12 " " " S 13 E. 26 " "
Poor hilly Oak Sand

West On the South Boundary of sec. 34 T. N^o 9. R. 3 W.
40.00 Set a post for the cor. of 1/4 sec. from which a
Log 5 in. diam. bears N 57 E. 3 the arch; 10
Buck 12 " " " S 50 W. 51 " "
67.50 To a Brook 3 links wide, Corner S. E.
80.00 Set a post for the cor. of sec. 33 & 34 from which a
Sassafras 8 in. diam. bears East 16 the arch; 10
Poplar 6 " " " S 36 W. 28 " "
Hilly rich land Under Poplar, Log 10

West On the South Boundary of sec. 33. T. N^o 9. R. 3 W.
17.00 To a Brook 8 links wide, Corner S. W.

V. N^o 9. N.R. N^o 3. W. 2nd Mer. Ind^o

40.00	Set a post for the cor. of 14 th Sec. from which a Bench 15 in diam bears N46 E. 19 1/2 miles dist; 18 Co. 14 " " " S60 W. 29 " "
80.00	Set a post for the cor. of sec. 32 & 33. from which a Sugar 9 in diam. bears N82 E. 26 1/2 miles dist; 18 Co. 12 " " " S83 W. 33 " " Hilly, 7 Bench. Lands.

West	On the South Boundary of sec. 32. T. N ^o 9. N.R. 3 rd W.
38.50	Iron Brook 10 miles wide, Corner S.W.
40.00	Set a post for the cor. of 14 th Sec. from which a Sugar 12 in diam. bears S43 E. 4 1/2 miles dist; 18 Co. 12 " " " N55 W 42 " "
64.50	Iron Brook. 10 miles wide Corner S.E.
80.00	Set a post for the cor. of sec. 31 & 32 from which a R. Oak 36 in diam. bears S39 W. 27 1/2 miles dist; 18 Bench 18 " " " N20 W. 26 " " Lands including grove. Timber Bench Sugar 10

West	On the South Boundary of sec. 31. T. N ^o 9. N.R. 3 rd W.
35.00	Iron Brook. 12 miles wide, Corner S.W.
40.00	Set a post for the cor. of 14 th Sec. from which a Bench 9 in diam. bears N10 E. 11 1/2 miles dist; 18 Co. 18 " " " S46 E. 26 " "
80.00	Set a temporary post for the cor. of T ^s 8, 8, & 9. 9 N. W ^s 3 & 4 Lands suit and timber same as last entry.

East Boundary

April 8. 1811

North	On the East Boundary of sec. 36. T. N ^o 9. N.R. 3 rd W. from the cor. of T ^s 8. 19 N.R ^s 2 & 3 W
18.50	Iron Brook 60 ft wide, Corner S.W.

B

as

2

419

T N^o 9. NR N^o 3 W. 2nd Mer. (Ind.?)

25.00 To a Brook. 15 miles more, Come S.E.
 33.50 " " Do. 15 " " " S.W.
 40.00 Set apart for the cor. off 1/4 sec. from which a
 Sugar 11 in air: trees N 27 E. 13 miles due by 1/2
 Do. 12 " " " S 27 W. 15 " "
 45.00 To a Brook. 30 in air: stands in the line.
 80.00 Set apart for the cor. off sec. 25 136 from which a
 Sugar 10 in air: trees N 47 E. 31 miles due by 1/2
 Buck 16 " " " S 57 W. 26 " "
 Same with Sugar 1

North On the East Boundary of sec. 25 T N^o 9. NR 3 W
 40.00 Set apart for the cor. off 1/4 sec. from which a
 Coffenut 16 in air: trees S 6 W. 13 miles due by 1/2
 Buck. 10 " " " N 44 E. 2 " "
 62.00 To a Brook. 15 " " " stands in the line.
 80.00 Set apart for the cor. off sec. 24 125 from which a
 Sugar 4 in air: trees S 20 E. 3 miles due by 1/2
 Buck 18 " " " N 31 W. 35 " "
 Same same as last note.

North On the East Boundary of sec. 24 T N^o 9. NR 3 W
 9.50 To a Brook 14 in air: stands in the line.
 40.00 Set apart for the cor. off 1/4 sec. from which a
 Hick 12 in air: trees S 12 W. 9 miles due by 1/2
 Do. 12 " " " N 38 E. 9 " "
 80.00 Set apart for the cor. off sec. 13 124 from which a
 Oak 36 in air: trees N 47 E. 22 miles due by 1/2
 Oak 36 " " " S 47 W. 30 " "

North On the East Boundary of sec. 13 T N^o 9. NR N^o 3 W
 19.50 To a Sugar 15 in air: stands in the line
 34.00 To a Brook 30 miles more, Come S.W.

40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Beech 15 in diam. bears S 59 E. 13 links dist; 13 W. Oak 30 " " " S 46 W. 45 " "
64.50	Iron Beech 25 in diam. stands in the line
80.00	Set a post for the cor. of sec. 12 & 13 from which a Hickory 11 in diam. bears S 41 E. 18 links dist; 19 W. Oak 20 " " " N 49 W. 31 " " Sawdust and Limber Oak 1 c
North	On the East Boundary of sec. 12 T. N. 9 N. R. 3 W.
10.00	Iron Poplar 30 in diam. stands in the line
34.50	" " Birch 10 links dist; Corner N. W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Sugar 5 in diam. bears S 40 W. 16 links dist; 10 Ash 18 " " " N 81 E. 14 " "
80.00	Set a post for the cor. of sec. 1 & 12 from which a Beech 14 in diam. bears N 63 W. 21 links dist; 19 Oak 13 " " " S 65 E. 36 " " Sawdust and; Limber Beech, Poplar 10
North	On the East Boundary of sec. 1 T. N. 9 N. R. 3 W.
20.00	Iron Poplar 30 in diam. stands in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which an W. Oak 36 in diam. bears S 41 E. 3 links dist. and Ash — " " " — " "
57.50	Iron W. Oak 50 in diam. stands in the line
80.00	Set a post temp. for the cor. of Is. 9, 9 & 10. N. R. 3 W. Sawdust and and Port good; Limber Ash, Hickory 1 c
North Boundary	
East	On a Random line between T. N. 9 & 10 N. R. N. 3 W. 6 miles & 1.39 links. All 2 cks N. of Iron cor.

421

V. N. 9. N. R. 3. W. 2nd Mer. Ind.

West	On the South Boundary of sec. 36 T. 10 N. R. 3 W.
40.00	Set a post for the cor. of 74 ac. from which a Poplar 14 in diam. bears N 76 E 48 miles dist; 1/2 Beech 30 " " " S 76 W. 28 " "
80.00	Set a post for the cor. of sec. 35 1/2 36 from which a Beech 20 in diam. bears N 81 E. 28 miles dist; 1/2 Sugar 10 " " " S 32 W. 11 " " Sound good soil, timber Poplar, Beech 1/2
West	On the South Boundary of sec. 35 T. 10 N. R. 3 W.
0.50	Leak Brook 10 miles wide, Course N. W.
40.00	Set a post for the cor. of 74 ac. from which a Beech 12 in diam. bears N 70 W. 8 miles dist; 1/2 Oak 5 " " " S 32 E. 18 " "
80.00	Set a post for the cor. of sec. 34 1/2 35 from which a Oak 16 in diam. bears S 52 E. 50 miles dist; 1/2 Beech 15 " " " N 19 W. 22 " " Sound soil and timber same as last mile.
West	On the South Boundary of sec. 34 T. 10 N. R. 3 W.
40.00	Set a post for the cor. of 74 ac. from which a Sugar 14 in diam. bears N 11 W. 21 miles dist; 1/2 Oak 14 " " " S 38 E. 22 " "
80.00	Set a post for the cor. of sec. 33 1/2 34 from which a Beech 6 in diam. bears N 12 E. 10 miles dist; 1/2 Oak 13 " " " S 35 W. 31 " " Sound soil and timber same as last mile.
West	On the South Boundary of sec. 33 T. 10 N. R. 3 W.
40.00	Set a post for the cor. of 74 ac. from which a Oak 5 in diam. bears N 70 E. 4 miles dist; 1/2 Sawwood 3 " " " S 73 W. 8 " "
68.50	Leak Brook 30 miles wide, Course N. W.

V. J. N. 9. N. R. N. 3 W. 2nd Mer. (S. 40)

80.00 Set apart for the cor. of Sec. 32. 133 from which
Sugar 13 in air: bears N 58 E. 4 links air; 13
Do 18 " " " S 35 W. 30 " "
Poor hill; Oak & Buck Sando.

West 4.50 On the South Boundary of Sec. 30. 1 N. 10 W. R. N. 3 W.
To a Rock. 39 links in air, corner of E. W.
40.00 Set apart for the cor. of 1/4 Sec. from which
Sugar 14 in air: bears S 47 W. 6 links air; 13
Buck 12 " " " N 30 E. 12 " "

80.00 Set apart for the cor. of Sec. 31. 133 from which
Ash 40 in air: bears N 44 E. 14 links air; 13
Buck 13 " " " S 52 W. 12 " "
Hilly Buck Sando

West 40.00 On the South Boundary of Sec. 31. 1 N. 10 W. R. N. 3 W.
Set apart for the cor. of 1/4 Sec. from which
Sugar 15 in air: bears N 37 E. 15 links air; 13
Buck 6 " " " S 60 W. 18 " "

81.39 Set 100 links S. of Temp. township cor. 1 sec
Set apart for the cor. of 1/4 Sec. 9. 9. 10. 10 N. R. S. 3 & 4 W.
from which
Blackberry 15 in air: bears N 47 W. 12 links air;
La. 13 " " " S 53 E. 5 " "
Sando hilly; Timber Buck, Sugar &c

West Boundary

April 13th 1811

North 111.50 On the East Boundary of Sec. 36. 1 N. 9. N. R. 4 W.
from the cor. of 1/4 Sec. 8 & 9. N. R. S. 3 & 4 W.

40.00 To a Rock. 15 links in air, corner
Set apart for the cor. of 1/4 Sec. from which
Buck 18 in air: bears S 10 W. 22 links air; 13
Do. 16 " " " N 54 W. 11 " "

T. N^o 9. N.R. N^o 37. 2nd Mer. Ind.

59.00 To a Brook 8 miles wide, Course S.E.
 69.00 To a Brook 14 mi wide. It runs in the line
 80.00 Set apart for the cor. of sec. 25 & 36 from which a
 Brook 16 mi wide runs N20E 41 miles wide; 13
 Miles 12 1/2 " " S36W 14 " "
 Half, Brook runs in the 1st 1/2; On the 2nd
 1/2 lands of meadow quality; timber as above

North On the East Boundary of sec. 25 T. N^o 9. N.R. 4 W
 14.00 To a Poplar 30 mi wide. Stands in the line
 40.00 Set apart for the cor. of 14 sec. from which a
 Brook 20 mi wide runs S80W 20 miles wide; 15
 Miles 13 " " " N68E 14 " "
 67.50 To a Creek 50 miles wide, Course S.W.
 80.00 Set apart for the cor. of sec. 24 & 25 from which a
 Brook 11 mi wide runs S44E 21 miles wide; 1 1/2
 Miles 15 " " " N44W 22 " "
 Lands 1st 1/2 mile wide Brook lands; 2nd 1/2
 Good Brook land.

North On the East Boundary of sec. 24 T. N^o 9. N.R. 4 W
 2.00 To a Brook 8 miles wide, Course S.E.
 37.50 To a Brook 30 mi wide. Stands in the line
 40.00 Set apart for the cor. of 14 sec. from which a
 Brook 9 mi wide runs S44E 3 miles wide; 1 1/2
 Miles 6 " " " N62W 12 " "
 80.00 Set apart for the cor. of sec. 13 & 24 from which a
 Brook 10 mi wide runs S44W 22 miles wide; 1 1/2
 Miles 10 " " " N36E 13 " "
 Good land; timber Brook Sugar & Poplar.

North On the East Boundary of sec. 13 T. N^o 9. N.R. 4 W
 40.00 Set apart for the cor. of 14 sec. from which a

T. N. 9. N. R. N. 37. 2nd Mer. Cha.

	Beck 5 in deer beams S59 N. 26 links dist; 19
	Lo 18 " " " N57 E. 53 " "
76.00	To a Poplar 48 in deer beams as in the line
80.00	Set a post for the cor. of sec. 12 & 13 from which
	Run 13 in deer beams S20 E. 18 links dist; 19
	Lo 5 " " " N43 E. 25 " "
North	On the East Boundary of sec. 12 T. N. 9. N. R. 37
9.50	To a Birch 8 links in, corner N.E.
31.50	" " " 12 " " " N.
40.00	Set a post for the cor. of sec. 12 from which
	Beck 5 in deer beams N63 N. 20 links dist; 19
	Lo 6 " " " East 26 " "
66.00	To a Birch 12 in deer beams as in the line.
80.00	Set a post for the cor. of sec. 1 & 12 from which
	Beck 6 in deer beams S30 N. 19 links dist; 19
	N. Oak 30 " " " N45 E 31 " "
	Sound rich; Timber Birch, Sugar, Poplar, &c.
North	On the East Boundary of sec. 1 T. N. 9. N. R. 47.
40.00	Set a post for the cor. of sec. 1 from which
	Run 13 in deer beams S3 E. 43 links dist; 19
	Height 20 " " " N3 E. 30 " "
80.00	Set a temporary post for the cor. of T. 9. 9. & 10. 10. N.
	R. 314 N.
	Sound rich bottom; &c.

Surveyed by
James Holmes L.S.

Subdivisions

Sept. 7 1815.

North Return Sec. 35 & 36. T. N. 9. N. R. N. 37.

425

T. N^o 9. N.R. N^o 3 W. 2nd Mer. Ind.

40.00	Set a post for the cor. of 1/4 sec. from which a Sassaparilla 24 in. diam. bears N 3 E. 13 links north; 1/2 do. 9 " " " N 30 W. 17 " "
75.00	To a Brook 25 links wide, Corner West.
80.00	Set a post for the cor. of sec. 25, 26, 35 & 36 from which a Beck 29 in. diam. bears S 69 W. 27 links north; 1/2 do. 8 " " " S 42 E 37 " "
	Land is hilly and middling for farming; Timber Beck Oak, & Ash.
East	On a Random line between Sec. 25 & 36 T. N ^o 9. N.R. 3 W.
24.00	To a Brook 20 links wide, Corner S.W.
40.00	Set a temporary post for the cor. of 1/4 sec.
78.78	Intersect the N 83 W line 67 links North of the post cor. of sec. 25 & 36. Land is poor & timber some red oak.
West	On the true line between Sec. 25 & 36. T. N ^o 9. N.R. 3 W.
38.39	Set the temporary post at the avor. end, on the true line for the cor. of 1/4 sec. from which a Beck 36 in. diam. bears S 58 W. 17 links north; 1/2 Sugar 3 " " " N 19 W. 14 " "
78.78	To the post cor. of sec. 25, 26, 35 & 36
North	Between Sec. 25, 26 T. N ^o 9. N.R. 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Beck 10 in. diam. bears N 35 W. 13 links north; 1/2 do. 15 " " " S 64 E. 50 " "
80.00	Set a post for the cor. of sec. 23, 24, 25 & 26 from which a Sugar 7 in. diam. bears S 53 W. 8 links north; 1/2 do. 19 " " " S 59 E. 21 " "
	Land is hilly & tolerably rich; Timber Beck Sugar. Ash, &c.

T^h N^o 9. N^o 3 W. 2nd Mer. Sec.

East On a Random line between Sec. 24 & 25 T^h N^o 9. N^o 3 W.
 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ sec.
 78.28 Enter sec. the N^o 3 Range line 43 miles North of the
 post cor. of sec. 24 & 25
 Same soil and timber same as last mile.

West On the true line between Sec. 24 & 25 T^h N^o 9. N^o 3 W.
 39.14 Set the temp. post at the av. dist. on the true line for
 the cor. of $\frac{1}{4}$ sec. from which
 Beech 48 in dia: bears N 88 W. 26 miles dist; 10
 Poplar 5 " " " S 28 E. 23 " "
 78.28 To the post cor. of sec. 23, 24, 25 & 26.

West On a Random line between Sec. 23 & 24 T^h N^o 9. N^o 3 W.
 40.00 Set the temp. $\frac{1}{4}$ sec. post.
 80.18 Enter sec. the N^o 3 line 69 miles North of the post
 cor. of sec. 22, 23, 24 & 27
 Same hilly; Timber Oak, Beech; Sugar & Ash,
 about an adling for farming.

Sept. 8. 1815.

North Return Sec. 34 & 35 T^h N^o 9. N^o 3 W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
 Sugar. 6 in dia: bears S 3 W. 26 miles dist; 10
 Ironwoods 5 " " " N 3 E. 16 " "
 67.00 To a Beech. 45 miles wide, Corner W.
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which
 Beech. 14 in dia: bears N 65 E. 12 miles dist; 10
 Do. 18 " " " N 57 W 10 " "
 Same middling for farming; Timber Oak, Ash,
 Elm, Sugar, Poplar, Beech, 10

East On a Random line between Sec. 26 & 35 T^h N^o 9. N^o 3 W.

T. No 9. NR No 37. 2nd Mar. Sur. 427

30.50 To a Bush 3 1/2 miles, Course South.
 40.00 Set a temporary post for the cor. of 1/4 Sec.
 79.75 Intersect the N & S line 49 miles South of the post
 cor. of Sec. 25, 26, 35 & 36

West On the true line between Sur. 26 & 35 T. No 9. NR. 37
 39.87 Set the temporary post at the corner. dist on the true line for the
 cor. of 1/4 Sec. from which a
 Sague 4 in diam. bears S 50 E. 5 miles dist; & 0
 Ho. 5 " " " N 55 W. 31 " "
 79.75 To the post cor. of Sec. 26, 27, 34 & 35

Sept. 9 1815.

North Return Sur. 26 & 27 T. No 9. NR. No 37.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sague 7 in diam. bears S 9 E. 21 miles dist; & 0
 Ho. 5 " " " N 8 E. 21 " "
 80.00 Set a post for the cor. of Sec. 22, 23, 26, 27 from which
 a Bush 5 in diam. bears S 28 W. 7 miles dist; & 0
 Sague 6 " " " N 49 W. 11 " "
 Lands & timber same as above

East On a true line between Sur. 23 & 26 T. No 9. NR. 37.
 40.09 Set the temporary post at the corner. dist on the true line
 for the cor. of 1/4 Sec. from which a
 Sague 3 in diam. bears N 21 E. 4 miles dist; & 0
 Bush 5 " " " S 36 E. 23 " "
 80.18 To the post on the line between Sur. 23, 24, 25, & 26

North Return Sur. 23 & 24 T. No 9. NR. No 37.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Bush 36 in diam. bears N 40 W. 4 miles dist; & 0
 Sague 2 1/2 " " " N 24 W. 10 " "

D. N^o 9. N. R. N^o 37. 2nd Mer. Ind. 5

80.00 Set a post for the cor. of sec. 13. 14. 23 & 24 from which
a Buck 14 in dia: bears South 12 miles north; & a
Ash 17 " " " N 19 7/8. 5 " "
Sands rolling; Timber ash, Walnut Sugar & Buck
Oak & good soil.

East On a N. & W. line between Sec. 13 & 24 T. N^o 9. N. R. 37.
24.00 To a small spring branch. Corner N.
40.00 Set a temporary post for the cor. of 1/4 sec.
78.93 Intersect the N. & S. line 20 miles South of the post
cor. of sec. 13 & 24
Sands soil made timber same as last mile.

West On the true line between Sec. 13 & 24 T. N^o 9. N. R. 37.
39.46 Set the temporary post on the true line for the cor. which
in the true line for the cor. of 1/4 sec. from which
Buck 12 in dia: bears S 65 E. 10 miles north; & a
Do. 10 " " " N 54 7/8. 11 " "
78.93 To the post cor. of sec. 13. 14. 23 & 24

North Between Sec. 13 & 14 T. N^o 9. N. R. N^o 37.
15.50 To a small brook - the side Corner N.
29.50 To a brook .55 the side, Corner S. T.
40.00 Set a post for the cor. of 1/4 sec. from which
Buck 24 in dia: bears S 44 7/8. 10 miles north; & a
Sugar 8 " " " N 48 7/8. 16 " "
80.00 Set a post for the cor. of sec. 11. 12. 13 & 14 from which
Ash 40 in dia: bears S 40 7/8. 13 the north; & a
Buck 10 " " " N 37 7/8. 16 " "
Sands soil made timber same as last mile.

Sept. 10. 1815.

West On a N. & W. line between Sec. 27 & 34 T. N^o 9. N. R. 37.

T. N^o 9. N.R. N^o 3 W. 2nd Mer. Ind.^a)

35.00 To a small Creek. Corner S.E.

40.00 Set a temporary post for the cor. of $\frac{1}{4}$ Sec.

80.00 Intersect the N & S line 100 miles N. of the post cor.
of Sec. 27, 28, 33 & 34.

Land hilly and good for farming; Timber Buck
Oak, Ash & Poplar.

East On a true line between Sec. 27 & 34 T. N^o 9. N.R. 3 W.

40.00 Set the temporary post at the corner ditch on the true line
for the cor. of $\frac{1}{4}$ Sec. from which a

Buck 17 mi. dist. bears S 70. N. 12 miles dist; 10
Sugar 3 " " " N 82 E. 19 " "

West On a true line between Sec. 22 & 27 T. N^o 9. N.R. 3 W.

40.00 Set a temporary post for the cor. of $\frac{1}{4}$ Sec.

52.50 To a Creek. 100 miles wide, Corner S.

80.70 Intersected the N & S line 100 miles South of the post
cor. of Sec. 21, 22, 27 & 28

Land fertile and timber same as last mile.

East On a true line between Sec. 22 & 27 T. N^o 9. N.R. 3 W.

40.35 Set the temporary post at the corner ditch on the true line
for the cor. of $\frac{1}{4}$ Sec. from which a

Buck 12 mi. dist. bears S 29 E. 33 miles dist; 10

Do 13 " " " N 65 W. 12 " "

80.70 To the post cor. of Sec. 22, 23, 26 & 27

North Return Sec. 22 & 23 T. N^o 9. N.R. N. 3 W.

40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which an

Amvordo 3 mi. dist. bears N 68 W. 12 miles dist; 10

50.50 Do 3 " " " S 78 E. 5 " "

55.50 To a Brook. — the same, Corner S.W.

80.00 Set a post for the cor. of Sec. 14, 15, 22 & 23 from which 356

N^o 9 N.R. N^o 37. 2nd Mer. Ind.

along 5 mi. dist. bears S 30 W. 17 the dist; to

then 16 " " " N 30 W. 16 " "

Land middling; Timber Sugar Elm Buck, Oak
Sugars &c

West On a Ran. am line between Sep 15 & 22. I N^o 9 N.R. 37

40.00 Set a temporary post for the cor. of 1/4 Sec.

81.00 Intersect the N. & S. line 57 links North of the post,
Cor. of sec. 15. 14. 21. & 22.

Land middling for farming; Timber Post Oak
Buck & Ash.

East On a line between Sep 15 & 22 I N^o 9. N.R. 37

40.25 Set the temporary post at the av. dist on the true line
for the cor. of 1/4 Sec. from which

Bear 15 mi. dist. bears - 47 E. 26 the dist; to

then 17 " " " N 24 W. 28 " "

81.00 To the post cor. of sec 14. 15. 22. & 23.

c

Sept. 11. 1815

East On a Ran. am line between Sep 14 & 23. I N^o 9. N.R. 37

0.50 To a Brook. 20 the miles comes S.W.

18.00 " " " " " " " " " " " "

40.00 Set the temporary post at the cor. of 1/4 Sec.

80.85 Intersect the N & S line - 107 links South of the post,
cor. of sec 13. 14. 23. & 24

Land soil and timber some a last mile.

West On the true line between Sep 14 & 23. I N^o 9. N.R. 37

40.42 Set the temp. post at the av. dist on the true line
for the cor. of 1/4 Sec. from which

Bear 18 mi. dist. bears S 25 W. 26 links dist; to

then 4 " " " " " " " " " " " "

T. N.º 9. N. R. N. 37. 2.º (Mn. Ind.)

80.85 To the post cor. of Sec. 14, 15, 22, & 23.

Sept. 11, 1815.

North
1.00 Between Sec. 14 & 15 T. N.º 9. N. R. N. 37.
To a Brook, 20th mile, Course S. N.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Beck. 8 mi. dist. bears S 37 N. 15 miles west; & a
Loc. 11 " " S 78 E. 26 " "
80.00 Set a post for the cor. of Sec. 10, 11, 14 & 15 from which a
Bayer. 15 mi. dist. bears N 44 E. 7 miles west; & a
Loc. 13 " " " N 36 W. 18 " "
Land is hilly and good for farming; Timber
Sugar Oak, Buck Cherry Hickory & Walnut.

East
40.00 On a Random line between Sec. 11 & 14 T. N.º 9. N. R. N. 37.
Set a post for the cor. of $\frac{1}{4}$ sec. (Sump N.º 7)
80.50 Enter cut the N. S. line 62 miles South of the post
cor. of Sec. 11, 12, 13, & 14
Land is hilly & rich. Timber Oak Ash, Poplar & Cherry

West
40.25 On the true line between Sec. 11 & 14 T. N.º 9. N. R. N. 37.
Set the township post at the aver. dist. on the true line
for the cor. of $\frac{1}{4}$ sec. from which a
Hickory 7 mi. dist. bears N 79 E. 10 miles west; & a
Beck 8 " " S 72 W. 20 " "
80.50 To the post cor. of Sec. 10, 11, 14 & 15

East
18.50 On a Random line between Sec. 12 & 13 T. N.º 9. N. R. N. 37.
To a small Creek. Course S. N.
40.00 Set a township post for the cor. of $\frac{1}{4}$ sec.
78.55 Enter cut the N. S. line 5 miles South of the post cor. of
Sec. 12 & 13. Land is soil and timber same as last
mile

D. N^o 9. N.R. N^o 3 M. 2nd (Mr. Ina.)

West On the true line between Secs 12 & 13. T. N^o 9. N.R. N^o 3 M.
 39.27 1/2 Set the temporary post at the corner dish on the true line for
 the cor. of 1/4 Sec. from which a
 Sugar 5 in. dia. beam S 37 E 22 links dish; 10
 Buck 18 " " " West 15 " "
 48.55 To the post cor. of secs 11. 12. 13 & 14.

Sept. 12. 1815.

North Between Secs 15 & 16. T. N^o 9. N.R. N^o 3 M.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 8 in. dia. beam S 37 N. 20 links dish; 10
 W. Buck. 5 " " " N 33 E 21 " "
 80.00 Set a Large Poplar, 48 in. dia. which stands for the
 cor. of secs 9. 10. 15 & 16.
 Sand soil & timber same as last mile.

West On a Random line between Secs 10 & 15. T. N^o 9. N.R. N^o 3 M.
 40.00 Set a temporary post for the cor. of 1/4 Sec.
 80.57 Enter set the N & S line 2.15 ch South of the post
 cor. of secs 9. 10. 15 & 16.
 Sand soil and timber same as last mile.

East On a true line between Secs 10 & 15. T. N^o 9. N.R. N^o 3 M.
 40.28 1/2 Set the temporary post at the corner dish on the true line
 for the cor. of 1/4 Sec. from which a
 Buck 10 in. dia. beam S 18 N. 21 links dish; 10
 Ho. 12 " " " N 52 E. 8 1/2 " "
 80.57 To the post cor. of secs 10. 11. 14. & 15

North Between Secs 9 & 10. T. N^o 9. N.R. N^o 3 M.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar. 6 in. dia. beam N 16 N. 24 links dish; 10
 Buck. 15 " " " N 54 E. 24 " "

N. No 9 N R No 3 (N. 2nd Mer. 1st d. 2,)

80.00 Set a post for the cor. of sec. 3, 4, 9 & 10 from which an Ironwood 5 in. dia. beam S 45 E 10 links out; on Sugar 4 " " " N 10 W 13 1/2 " " Sande fully rich. Timber Hickory, Poplar, Oak Ash & Beech.

East Between Sec. 3 & 10 T. No 9 N R No 3 N.

15.50 To a Brook. 25 links made, Corner N.

35.00 To a small Spring branch.

1,000 Set a post for the cor. of 1/4 sec. from which a Beech 4 in. dia. beam, N 47 W 20 links out; on White Oak. " " " N 27 E 28 " "

48.50 To a small Spring branch Corner S. N.

80.00 Set a post for the cor. of sec. 2, 3, 10 & 11. from which a Sugar 16 in. dia. beam - S 2 E 18 links out; on Beech 10 " " " S 45 W 27 " " Sande good for farming; Timber Oak, Ash, Sugar, Beech, Walnut & Poplar

South On a Random line between Sec 10 & 11 T. No 9 N R No 3 N.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.03 Intersect the E of N. 1.17 links West of the post cor. of Sec. 10, 11, 14 & 15.

Sande soil on the timber same as the last mile.

North On the true line between Sec 10 & 11 T. No 9 N R No 3 N.

40.07 1/2 Set the temporary post at the adv. dist on the true line for the cor. of 1/4 sec. from which an

Oak 36 in. dia. beam, S 25 E 4 links out; on Sugar 20 " " " N 20 E 26 " "

80.08 To the post cor. of sec. 2, 3, 10 & 11.

North Between Sec. 3 & 4 T. No 9 N R No 3 N.

D. N. 9 H. N. 3 M. 2nd Mm. Ind. a.

9.50 LaBrook - bike ride, comes NMs

25.00 " " Spring Brook " " " W.

37.00 To a Brook 20 Meters, Corner N.

40.00 Set a fresh for the cor. of 74th St. from which
Buck. of mi. dist. bears S. 44 E. 16 the dist. 10
Loc. 6 " " N 37 W. 21 " "

17.20 Intersect the N Boundary 32 miles East of Seatonsburg
crossed 33 & 34 T. N. 11. R. N. 37.
Made the cross of sec. 374 in an Ironwood 5 in
diam. Sept. 13. 1815

East Petrom Sep. 24/11 I. N.º 9. N. R. N.º 3 M.

40.00 Set apart for the cor. of 74 ac. from which
Buck. 11 in acid bears 955 W. 18 knots rich; 80
Maple 30 " " " N 84 E. 13 " "

80.00 Get a post for the cor of sec. 12, 11 & 12 from outside.
Buck 24 in. dia. trees S. 22 N. 16 timber sub; & a
La. 20 + " " N 28 E. 33 " "
Land good for farming; Timber Oak & Buck

South America Chile between Lat. 11.212 S No 9.5537 W

4000 Let a transp. post for the con of 9422.

49.70 Intra set (the E & W line 109. and West of the pond on
of ea. 11 12 13 & 14
Loud but under timber same as last note.

North. On the true line between Lat. 11.210 I. N. 9. 117 R. N. 37.

3985 Got the temp. γ kept on the true line at the air. dist. fr
the cor. of γ sec. from which
Rough 10 mi. dist. temp. NW 7. 21. into dist; no
In gen. 16, " " S 3 E. 21, "

79.70 To the post corr. of vol. 1.2, 11.2/2

T. N° 9 N.R. N° 377. 2nd Mer. Ind. 435

East On a Random line between Sec. 1 & 12 T. N° 9. N.R. N° 377.
 40.00 Set a temporary post at the cor. of 1/4 Sec.
 55.00 To a Brook. Corner S.W.
 80.00 Enter cut the N.W. line 20 rods N. of the post cor.
 of Sec. 1 & 12
 Same soil as the timber same as last mile.

West On the true line between Sec. 1 & 12 T. N° 9. N.R. N° 377.
 40.00 Set the temporary post at the corner. One on the true line
 for the cor. of 1/4 Sec. from which
 Sugar 15 mi. dist. bears S 40 N. 28 rods west; & a
 Q. 17 " " " N 6 E. 20 " "
 80.00 To the post cor. of sec. 1, 2, 11 & 12.

North Return Sec. 1 & 12 T. N° 9. N.R. N° 377.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 10 mi. dist. bears S 11 N. 23 rods west; & a
 Sugar 4 " " " N 17 E. 14 " "
 77.80 Enter cut the E & W Range line 27 rods West of
 the post cor. of sec. 35 & 36 T. N° 10. N.R. N° 377 set
 a post for the cor. of sec. 1 & 2 from which a
 Buck 15 mi. dist. bears N 48 E. the dist; & a
 Q. 10 " " " West 42 " "
 Same middling for farming, Timber Oak Ash & Birch

North Return Sec. 213 T. N° 9. N.R. N° 377.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 16 mi. dist. bears S 51 E. 23 rods west; & a
 Sassafras 17 " " " S 76 E. 29 " "
 77.70 Enter cut the N. Boundary 5 rods West of the post
 cor. of sec. 34 & 35 T. N° 40. N.R. N° 377. & set a
 post for the cor. of Sec. 213 from which a
 Hickory 10 mi. dist. bears S 85 E. 58 rods west

T. N. 9. N. R. N. 3. W. 2nd. Mer. Sec.

Apr. 8, 1845. N. 7° 15'

North Between Sec. 33 & 34 T. N. 9. N. R. N. 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which
 Buck. 20 in dist. bears S 70 E. 36 links north; & to
 L. 12 " " " N 38 W. 19 " "

80.00 Set a post for the cor. of sec. 27 28. 33 & 34 from which
 a N. Oak 18 in dist. bears S. 57 N. 11 links north; & to
 Buck. 12 " " " N 12 W. 21 " "
 Land fairly well good for farming. Timber Buck
 Oak, Poplar, Sugar.

West Between Sec. 28 & 33 T. N. 9. N. R. N. 3 W. var. 5° 25'

40.00 Set a post for the cor. of 1/4 sec. from which
 Buck. 8 in dist. bears S 70 N. 14 links north; & to
 Sugar. 12 " " " N 12 W. 20 " "

80.00 Set a post for the cor. of sec. 28, 29, 32 & 33 from which
 a Dogwood 6 in dist. bears N 11 W. 14 links north; & to
 N. Oak. 24 " " " S 14 E. 25 " "
 Land low hills; & middling good for farming
 Timber same as last mile.

South On a Random line between Sec. 32 & 33 T. N. 9. N. R. 3 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

50.00 To a Brook. 4 links wide, Corner N. W.

65.00 " " L. 6 " " " " N. W.

80.03 Set out the E & W. line. 49 links West of the post cor.
 of sec. 32 & 33.

Land nothing and good for farming; Timber same
 as last mile.

North On the true line between Sec. 32 & 33 T. N. 9. N. R. 3 W.

40.01 Set the temporary post at the cor. dist. on the true line from
 the cor. of 1/4 sec. from which

D. No 9. N.R. No 3 W. 2nd Mer. (Ind.), 437

80.03	<p>Back 15 mi dist. bears S 75 N. 28. huts each; 1 m Sugm. 5 " " " N 30 E 18 " " To the post cr. of sec. 28, 29, 32, & 33.</p>
West 40.50	<p>Between Sec. 29 & 32 T. N. 9. N.R. No 3 W. Set a post for the cor. of 1/4 Sec. from which Dog woods 5 mi dist. bears N 43 E. 7 huts each; 1 m Sugm. 10. " " " S 22 E. 14 " " To a Brook. 10 huts mds, Corner S.W. 80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which Back 10 mi dist. bears N 56 N. 5 huts each; 1 m 1/4 Sec. 6 " " " S 56 E. 13 " " E 1/2 mile same as last mile; West p. hills & prr.</p>
South 40.00 81.00	<p>On a Random line between Sec. 31 & 32 T. N. 9. N.R. No 3 W. Set a post (trip p. 1) for the cor. of 1/4 Sec. Indirect the E 1/2 N line 47 huts West of the post cr. of sec. 31 & 32. Land hilly and prr. Timber same.</p>
North 40.50 81.00	<p>On the true line between Sec. 31 & 32, T. N. 9. N.R. No 3 W. Set the trip p. 1 post at the cor. which on the true line for the cor. of 1/4 Sec. from which Dog woods 6 mi dist. bears S 87 N. 21. huts each; 1 m W. Oak. 12 " " " N 85 E. 15 " " To the post cr. of sec. 29, 30, 31 & 32</p>
North 40.00 62.50 70.00	<p>Between Sec. 27 & 28 T. N. 9. N.R. No 3 W. Set a post for the cor. of 1/4 Sec. from which Sugm. 10 mi dist. bears N 74 E. 9 huts each; 1 m W. Oak. 24 " " " S 83 N. 18 " " To a Brook 70 huts mds, Corner N.W. " " 1/4 Sec. 70 " " " N.E.</p>

I N^o 9. N.R. N^o 3 W. 2nd Mer. Ind^o

79.00 To a Brook 7 1/2 miles wide, Corner N.W.
 80.00 Set a post for the cor. of sec. 21. 22, 27 & 28 from which
 Beck 19 mi. dist. bears N 82 W. 11 miles north, & 10
 Lo. 18 " " " South 8 " "
 Land is hilly and good for farming; Timber Oak
 & Buck. Sugar & Poplar.

North Return Sec. 21. & 22 I. N^o 9. N.R. N^o 3 W.
 18.00 To a Brook 6 miles wide, Corner S.W.
 40.00 Set a post for the cor. of 1/4 sec. from which
 Beck 13 mi. dist. bears S 5 E. 5 miles north, & 10
 Lo. 24 " " " N 61 W. 12 " "
 80.00 Set a post for the cor. of sec. 15. 16. 21. & 22 from which
 Beck 6 mi. dist. bears N. 5 E. 28 miles north, & 10
 Lo. 9 " " " S 29 W. 4 " "
 Land is level & timber same as last mile.

West Return Sec. 21. & 28. I. N^o 9. N.R. N^o 3 W.
 4.00 To a Brook. 70 miles wide, Corner N.W.
 40.00 Set a post for the cor. of 1/4 sec. from which
 Beck 9 mi. dist. bears N 83 E. 20 miles north, & 10
 Lo. 17 " " " S 88 W. 33 " "
 80.00 Set a post for the cor. of sec. 20. 21. 28. & 29 from which
 Beck 24 mi. dist. bears S 29 E. 12 miles north, & 10
 Lo. 18 " " " N 2 E. 30 " "
 Land is hilly and good for farming; Timber
 same as last mile.

South On a Random line between Sec. 28. & 29 I. N^o 9. N.R. 3 W.
 40.00 Set a temporary post for the cor. of 1/4 sec.
 79.88 Intersect the E & W. line at the post of sec. 28. 29. 30
 & 33. Land is level & timber same as last mile.

T. No 9 N.R. No 37. 2nd Mm. Ind.

North 39.94	On a true line between Sec. 28. & 29 T. No 9. N.R. No 37 Set the temp. post at the cor. dish on the true line for the cor. of $\frac{1}{4}$ Sec. from which N. Oak. 30 in dist. from N 80 N. 3 hanks dish; & on R Oak. 24 " " N 33 E 31 " " 4988 To the post cor. of sec. 20. 21. 28 & 29
North 40.00	Between Sec. 20. & 21 T. No 9. N.R. No 37 Set a post for the cor. of $\frac{1}{4}$ Sec. from which Kendrick 5 in dist. from S 34 N. 10 hanks dish; & on Do. 15 " " " N 74 N. 19. " " 41.00 To a break. To the end, Corner N. 55.00 " Sp. 5 Branch " S 7 N 80.00 Set a post for the cor. of sec. 16. 17. 20. & 21 from which Beck 18 in. dist. from S 87 N. 31 hanks dish; & on Do. 7 " " " S 76 E. 35 " " Sande Porten & Hilby; Timber same as last mile.
East 40.00	On a true line between Sec. 16 & 21. T. No 9. N.R. No 37. Set a temp. post for the cor. of $\frac{1}{4}$ Sec. 55.00 To a Brook. 8 hanks from. Corner S.E. 80.19 Enter the N & S line 25 hanks South of the post cor. of sec. 15. 16. 21. & 22 Sande hilly; West $\frac{1}{2}$ mile broken. Timber same as last mile.
West 40.09	On the true line between Sec. 16. & 21. T. No 9. N.R. No 37. Set the temp. post at the cor. dish on the true line for the cor. of $\frac{1}{4}$ Sec. from which Beck 10 in dist. from N 67 N. 17 hanks dish; & on Do. 12 " " " N 60 E. 2 " " 80.19 To the post cor. of sec. 16. 17. 20. & 21 Sept. 10. 18. 15.

T. N^o 9. N.R. N^o 3 T. 2nd Mer. S. a.^c

West Between Sec. 17 & 20 T. N^o 9. N.R. N^o 3 T.
 4.00 To a Brook. 10 miles wide, Corner S. T.
 4.00 Set apart for the cor. of 1/4 sec. from which
 Brook. 8 in. dist. bears S 87.44 W. 44 miles due by T.
 Q. 15 " " " N 56 W. 51 " "
 80.00 Set apart for the cor. of sec. 17. 18. 19 & 20 from which
 Brook. 12 in. dist. bears S 60 W. 16 miles due by T.
 Poplar. 24 " " " N 43 E. 46 " "
 Same 3rd rate; Timber: Broken & hilly. Timber
 same as last mile.

South Between Sec. 19 & 20 T. N^o 9. N.R. N^o 3 T.
 40.00 Set apart for the cor. of 1/4 sec. from which
 Sugar. 12 in. dist. bears N 57 W. 4 miles due by T.
 Q. 6 " " " S 40 E. 22 " "
 60.00 To a Brook. 70 miles wide, Corner T.
 80.00 Set apart for the cor. of sec. 19. 20. 29 & 30 from which
 Sugar. 6 in. dist. bears S 6 E. 8 miles due by T.
 Dogwood 5 " " " N 60 W. 4 " "
 Same timber to. Same as last mile.

West Between Sec. 19 & 30 T. N^o 9. N.R. N^o 3 T.
 4.00 Set apart for the cor. of 1/4 sec. from which
 Brook. 8 in. dist. bears S 82 E. 32 miles due by T.
 Elm 9 " " " S 38 E. 30 " "
 40.50 To a Brook. 70 miles wide, Corner S. T.
 79.86 Set apart the N. S. line 328 miles N of the part cor. of
 Sec. 24 & 25. T. N^o 9. N.R. N^o 4 T. and set apart
 for the cor. of sec. 19 & 30. from which
 Brook. 9 in. dist. bears S 59 E. 3 miles due by T.
 Q. 18 " " " S 67 W. 16 " "
 East 1/2 mile same as last mile, West 1/2 mile
 bottom.

T. No 9. N.R. No 3 W. 2nd Mer. Ind^r

East
40.00 On a Random between Sec 20 & 29 T. No 9. N.R. No 3 W.
Set a post (temp^y) for the cor. of 74 cu.
79.76 Intersect the N 8 W line 28 links North of the post cor.
off cor. 20. 21. 28. & 29
Sund broken & Niddy Tenth Buck, Sugar, Gum
Oak, Poplar &c

West
39.88 On the true line between Sec 20 & 29 T. No 9. N.R. No 3 W.
Set the temp^y post at the arr. dist on the true line for
the cor. of 74 cu. from which
Buck. 12 in. dist. bears S 31 E. 14 links dist; & a
Oak. 12 " " " N 36 E. 29 " "
79.76 To the post cor. off cor. 19. 20. 29 & 30.

South
40.00 On a Random line between Sec 29 & 30 T. No 9. N.R. No 3 W.
Set a temp^y post for the cor. of 74 cu.
81.08 Intersect the E 8 W. line 33 links East of the post cor. off
cor. 29. 30. 31. & 32
Sund post and timber same as last one.

North
40.54 On the true line between Sec 29 & 30 T. No 9. N.R. No 3 W.
Set the temp^y post at the arr. dist on the true
line for the cor. of 74 cu. from which
Logan oak 3 in. dist. bears S 88 W. 19 links dist; & a
Buck. 20 " " " N 78 E. 14 " "
81.08 To the post cor. off cor. 19. 20. 29 & 30.

West
40.00 Between Sec 30 & 31 T. No 9. N.R. No 3 W.
Set a post for the cor. of 74 cu. from which
Sugar. 6 in. dist. bears S 65 E. 19 links dist; & a
W. Oak 12 " " " N 20 W. 29 " "
79.56 Intersect the West Boundary. 209 links North of
the post cor. off cor. 25 & 36 T. No 9. N.R. No 4 W

T. N. 9. N. R. N. 37. 2nd Mer. Ind. 3

Set a post for the cor. of sec. 30 & 31 from which a
 Buck. 8 in. dist. bears S 36 E. 7 miles due; 13
 Sugar 8 " " N 34 E 16 " "
 Land is soil & timber same as last mile

West Return Feb 18 & 19 T. N. 9. N. R. N. 37. v. 5025

40.00 Set a post for the cor. of 1/4 sec. from which a
 Sugar 14 in. dist. bears N 47 N. 18 1/2 miles due; 13
 Hick 12 " " " S 39 E. 28 " "

80.00 Enter cut the West Boundary 298 miles North
 of the post cor. of sec. 24 & 25 T. N. 9. N. R. N. 47
 and set a post for the cor. of sec. 18 & 19 from which a
 Hick 18 in. dist. bears S 10 N. 23 miles due; 10
 B. Oak 9 " " " N 71 N. 19 " "
 Land is hilly and making good for farming
 Soil & timber same as last mile.

Feb. 12. 1815. v. 5025

West Return Feb. 9 & 16 T. N. 9. N. R. N. 37

40.00 Set a post for the cor. of 1/4 sec. from which a
 Buck. 9 in. dist. bears S 84 N. 34 miles due; 10
 Do. 6 " " " N 6 E. 14 " "

60.00 To Brook 8 miles. miles. Comes South.

80.00 Set a post for the cor. of sec. 8, 9, 16, 17 from which a
 Buck. 14 in. dist. bears N 6 N. 20 miles due; 10
 Do. 10 " " " S 2 E. 18 " "
 Land is rolling & good for farming; Timber same
 as last. mile

South One Run runs from between Feb. 16 & 17 T. N. 9. N. R. 37

40.00 Set a temporary post for the cor. of 1/4 sec.

55.50 To Spring Branch. Comes East

80.56 Enter cut the E. & W. line 66 miles East of the post cor.

T. No 9. N.W. 30 377 2nd Mer. Ind^c

of sec. 16. 17. 20. & 21

Sand hilly and good for farming; Timber same

North On the true line between Sec. 16 & 17 T. No 9. N.W. 30 377.
40.38 Set the temp. 4 post at the over. dist on the true line
for the cor. of 1/4 sec. from which a

1/2 Buck 9 in dist. from N 86 N. 7 of the dash; & a,

Lo. 9 " " " S 26 E. 11 " "

80.56 To the post cor. of sec. 8. 9. 16 & 17

West Between Sec. 8 & 17 T. No 9. N.W. 30 377. N. 5. 40
40.00 Set a post for the cor. of 1/4 sec. from which a

Sugon. 12 in dist. from N 23 E 17 of the dash; & a

Buck. 6 " " " S 39 N. 12 " "

80.00 Set a post for the cor. of sec. 7. 8. 17 & 18 from which a

1/2 Buck. 12 in dist. from S 81 E 30 of the dash; & a,

Lo. 6 " " " S 77 N. 11 " "

Sand soil & timber same as last mile.

South On a Meridian line between Sec. 17 & 18 T. No 9. N.W. 30 377

40.00 Set a temp. 4 post for the cor. of 1/4 sec.

48.00 To a Buck. @ the mid. corner N.

78.84 Intersect the E. N. line 5 miles west of the post
cor. of sec. 17. 18. 19 & 20

Sand broken & hilly; Timber same

North On the true line between Sec. 17 & 18 T. No 9. N.W. 30 377.
39.42 Set the temp. 4 post at the over. dist on the true
line for the cor. of 1/4 sec. from which a

1/2 Walnut 24 in dist. from S 64 E. — the dash; & a

Sugon. 8 " " " S 20 N. 22 " "

78.84 To the post cor. of sec. 7. 8. 17 & 18.

T. N^o 9. N.R. N^o 3 N. 2nd Mer. Ind.

North	Between Sec. 7 & 8 T. N ^o 9. N.R. N ^o 3 N. v. 7 th 15 th .
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which Sugon 12 in. dist. bears S 54 N. 12 links dist; & 5 N. Nat. 9 " " N 24 E. 22 " "
70.00	To a Brook. 15 links wide, Corner N.
80.00	Set a post for the cor. of sec. 5, 6, 7 & 8. from which Brook. 15 in. dist. bears N 34 E 10 links dist; & High 18 " " S 30 N 32 " " Sands soil & timber same as last mile.
East	Between Sec. 5 & 8 T. N ^o 9. N.R. 3 N.
0.50	To a Spring Branch. 4 links wide, Corner S.
5.00	" " Llo. " 4 " " " "
10.00	" " Brook. 15 " " " S N.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which Brook. 14 in. dist. bears N 45 N. 42 links dist; & Llo. 15 " " S 54 E. 28 " "
80.00	Set a post for the cor. of sec. 4, 5, 8, 9. from which N. Gum 14 in. dist. bears S 73 E. 8 links dist; & Brook. 9 " " North 11 " " Sands soil and timber same as the last mile.
East	On a Random line between Sec. 4 & 9 T. N ^o 9. N.R. 4 N.
40.50	Set a temp. post for the cor. of $\frac{1}{4}$ sec.
52.50	To a Brook. 6 links wide, Corner N.N.
80.30	Intersect the N & S line 80 links E. of the post cor. of Sec. 3, 4, 9 & 10 Sands soil and timber same as last mile.
West	On the true line between Sec. 4 & 9 T. N ^o 9. N.R. N ^o 3 N.
40.15	Set the temp. post at the cor. dist on the true line for the cor. of the $\frac{1}{4}$ sec. from which Sugon 12 in. dist. bears S 87 E. 11 links dist & w

80.30	On a 9 in. dist. beam N 50° N. 16 the dist; To the post cr. of sec. 4, 5, 8 & 9.
South 40.00 78.50	On a 10 in. dist. beam between Sec 8 & 9 T. N. 9. N. R. N. 37. Set a temporary post for the cr. of $\frac{1}{4}$ sec. Intersect the E. & W. line 30 miles West of the post cr. of sec. 8, 9, 16 & 17. Land is low hills, good for farming; Timber some
North 39.25 78.50	On the true line between Sec 8 & 9 T. N. 9. N. R. N. 37. Set the temporary post at the corner dist. on the true line for the cr. of $\frac{1}{4}$ sec. from which a 9 in. dist. beam N 34° E 12 " " To the post cr. of sec. 4, 5, 8 & 9.
West 40.00 79.89	Between Sec 7 & 18 T. N. 9. N. R. N. 37. Set a post for the cr. of $\frac{1}{4}$ sec. from which a 10 in. dist. beam N 74° W. 20 miles dist; to Sec. 14 " " " S 73° E. 24 " " Intersect the West Boundary 170 miles North of the post cr. of sec. 12 & 13. T. N. 9. N. R. N. 47. & set a post for the cr. of sec. 7 & 18 from which a Dogwood 5 in. dist. beam S 12° N. 11 miles dist; to Sec. 30 " " " N 18° E 30 " " Land broken & hilly; Timber some as last mile
West 9.50 40.00 79.53	Between Sec 6 & 7 T. N. 9. N. R. N. 37. To a Spring Branch. 3 miles wide corner S. N. Set a post for the cr. of $\frac{1}{4}$ sec. from which a Poplar 18 in. dist. beam N 87° W. 45 miles dist; to a 9 in. " " " S 8° E 13 " " To a 8 in. dist. which stands for the cr. of sec.

T. N^o 9. N.R. N^o 3 W. 2nd Mer. Sec. 3

61 7/8 211 links North of the cor. of sec. 1 & 12
T. N^o 9. N.R. N^o 4 W.

Land is hilly and with timber same as last mile

North Between Sec. 5 & 6. T. N^o 9. N.R. N^o 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which a
Beck 12 in. dist. bears S 4 N. 41 links dist; & a

Loc. 10 " " " N 66 E 16. " "

76.20 Enter at the N. Boundary 138 links West of the
post cor. of sec. 31 & 32 T. N^o 9. N.R. N^o 3 W. & set
a post for the cor. of sec. 5 & 6 from which a
Beck 12 in. dist. bears N 17 W. 38 links dist;
Land is level and timber same as last mile.

North Between Sec. 4 & 5 T. N^o 9. N.R. N^o 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which a
Cedar 15 in. dist. bears N 84 W. 26 links dist; & a

Poplar 28 " " " S 85 E. 9 " "

Small Brook comes NE.

77.16 Enter at the N. Boundary, 146 links West of the post
cor. of sec. 32 & 33 T. N^o 10. N.R. N^o 3 W. and set
a post for the cor. of sec. 4 & 5 from which a

Beck 15 in. dist. bears N 78 E 18 links dist; & a

Loc. 9 " " " N 78 W. 8 " "

Land is Broken & Hilly Timber same as last mile

Surveyed by

William Harris D.S.

447

D. No 9. N. R. No 3. W. 2nd Mer. Ind.

Certify that the foregoing transcript of the
Field notes of Township No 9. North, of Range
No 3 West, of the 2nd Principal Meridian, in
Indiana has been compared with the original
note in this Office, and found to be correct.

Surveyor General's Office,

Cincinnati, Dec. 17. 1840

} E. S. Daines
Sur. Genl.